

FLEX Elektrowerkzeuge GmbH

Bahnhofstrasse 15
D-71711 Steinheim/Murr
Phone +49 7144 828-0
Fax +49 7144 25899
info@flex-tools.com
www.flex-tools.com

FLEX

Saws

SKL 2903 VV

Order no. 300.713



Technical attributes	SKL 2903 VV
Orbit rate, without load	0-2900 rpm
Orbit	29 mm
Power input	1200 watt
Power output	650 watt
Weight	4 kg

Standard equipment	
1 assortment of saw blades	198.757
1 saw blade adapter	302.864
1 plastic carry case	1 piece

Tiger Claw sabre saw with 3-D articulation

- VV electronic control: with constant stroke control, soft start with continuous speed control trigger
- Two joints facilitate almost unlimited positioning possibilities
- Quick-Change: Exchange saw blades quickly without tools with the stainless steel saw blade tool holder
- Tilt-adjustable saw support, with 4-step tool-free depth adjustment
- Soft-grip handle: eliminates most of the vibration and ensures non-slip handling
- Push-button unlocks middle joint, allowing it to swing through 180° and latch in 13 positions
- Front joint rotates axially through 360° and latches in 12 steps

FLEX Elektrowerkzeuge GmbH

Bahnhofstrasse 15
D-71711 Steinheim/Murr
Phone +49 7144 828-0
Fax +49 7144 25899
info@flex-tools.com
www.flex-tools.com

FLEX

Saws

Accessories

Sabre saw blades for metal and sheet material



All reciprocating saw blades with common saw blade mount. Universal use for steel, V2A and hard metals, 1.15 mm and more, bi-metal.

Teeth per inch:	Length in mm:	QTY/PKG:	Order no.
18	100	5	200.700



All reciprocating saw blades with common saw blade mount. Universal use for steel, V2A and hard metals, 3.0 mm and more, bi-metal.

Teeth per inch:	Length in mm:	QTY/PKG:	Order no.
14	150	5	200.727



All reciprocating saw blades with common saw blade mount. Universal use for steel, V2A and hard metals, 1.15 mm and more, bi-metal.

Teeth per inch:	Length in mm:	QTY/PKG:	Order no.
18	150	5	200.735



All reciprocating saw blades with common saw blade mount. Hard metals, 1.15 mm and thinner, bi-metal.

Teeth per inch:	Length in mm:	QTY/PKG:	Order no.
24	150	5	200.743



All reciprocating saw blades with common saw blade mount. Long metal blade 3 - 10 mm, bi-metal. For steel hollow section pipes, V2A, plastics pipes (also for pallet repair).

FLEX Elektrowerkzeuge GmbH

Bahnhofstrasse 15
D-71711 Steinheim/Murr
Phone +49 7144 828-0
Fax +49 7144 25899
info@flex-tools.com
www.flex-tools.com

FLEX

Saws

Teeth per inch:	Length in mm:	QTY/PKG:	Order no.
10	280	5	201.928



All reciprocating saw blades with common saw blade mount. Hard metals, 3.0 mm and thicker (also for palette repair), bi-metal.

Teeth per inch:	Length in mm:	QTY/PKG:	Order no.
14	200	5	217.190



All reciprocating saw blades with common saw blade mount. Steel, V2A and hard metals, 1.50 mm and more, bi-metal.

Teeth per inch:	Length in mm:	QTY/PKG:	Order no.
18	200	5	217.751



All reciprocating saw blades with common saw blade mount. Trapezoidal sheet, thickness 1.25 mm and less.

Teeth per inch:	Length in mm:	QTY/PKG:	Order no.
32	200	5	222.291

FLEX Elektrowerkzeuge GmbH

Bahnhofstrasse 15
D-71711 Steinheim/Murr
Phone +49 7144 828-0
Fax +49 7144 25899
info@flex-tools.com
www.flex-tools.com

FLEX

Saws

Sabre saw blade for wood, plaster, porous concrete and other applications



All wood types.

Teeth per inch:	Length in mm:	QTY/PKG:	Order no.
4	150	5	200.751



Wood with nails, bi-metal.

Teeth per inch:	Length in mm:	QTY/PKG:	Order no.
10	150	5	200.778



Wooden board (coarse/standard cuts).

Teeth per inch:	Length in mm:	QTY/PKG:	Order no.
6	300	5	201.936



Coarse rapid cuts in wood.

Teeth per inch:	Length in mm:	QTY/PKG:	Order no.
3	225	5	250.054



Coarse rapid cuts in green-wood.

Teeth per inch:	Length in mm:	QTY/PKG:	Order no.
3	220	5	250.056

FLEX Elektrowerkzeuge GmbH

Bahnhofstrasse 15
D-71711 Steinheim/Murr
Phone +49 7144 828-0
Fax +49 7144 25899
info@flex-tools.com
www.flex-tools.com

FLEX

Saws



Plaster, porous concrete, eternit, non-ferrous metal, glass-fiber reinforced plastic, carbide tipped.

Teeth per inch:	Length in mm:	QTY/PKG:	Order no.
6	150	1	202.061



Gypsum boards, porous concrete

Teeth per inch:	Length in mm:	QTY/PKG:	Order no.
6	300	5	206.202

Sabre blade assortment for plastic/wood/metal



Consisting of: 1 Plastic saw blade, 150 mm: 200.735; 1 Wood saw blade, 150 mm: 200.786; 1 Metal saw blade, 150 mm: 200.778, all bi-metal.

Length in mm:	QTY/PKG:	Order no.
150	3	198.757

Plastic carrying case



for SKL 2903 VV

QTY/PKG:	Order no.
1	905.922