

FLEX-Elektrowerkzeuge GmbH

Bahnhofstrasse 15
71711 Steinheim
Phone +49 7144 828-0
Fax +49 7144 25899
info@flex-tools.com
www.flex-tools.com

FLEX

Saws

SK 602 VV

Order no. 282.308



Technical attributes	SK 602 VV
Orbit rate, no load	0-2400 opm
Orbit	27 mm
Power input	1300 watt
Power output	850 watt
Weight	3,9 kg

Standard equipment	
1 side handle	198.633
1 hexagon socket screw key, wrench 4	211.494
1 standard cutting support	210.935
1 assortment of saw blades	1 set
1 spare clamp for sabre saw blade	205.788
1 pipe cutting support	217.689
1 plastic carry case	329.908

Variable-speed sabre saw with pipe cutting support

- Highly efficient and resilient motor for more power output
- VV electronic control: with constant stroke control, soft start with continuous speed control trigger, overload protection and speed selector wheel
- Orbital stroke: selective
- Standard cutting support
- Adjustable pipe cutting support for pipes up to 1 1/2"
- Acceleration trigger: sensitive sawing at the first cut
- With reinforced recip shaft guide and adjustable saw stop

FLEX-Elektrowerkzeuge GmbH

Bahnhofstrasse 15
71711 Steinheim
Phone +49 7144 828-0
Fax +49 7144 25899
info@flex-tools.com
www.flex-tools.com

FLEX

Saws

Accessories

Sabre saw blades for metal and sheet material



All reciprocating saw blades with common saw blade mount. Universal use for steel, V2A and hard metals, 1.15 mm and more, bi-metal.

Teeth per inch:	Length in mm:	QTY/PKG:	Order no.
18	100	5	200.700



All reciprocating saw blades with common saw blade mount. Universal use for steel, V2A and hard metals, 3.0 mm and more, bi-metal.

Teeth per inch:	Length in mm:	QTY/PKG:	Order no.
14	150	5	200.727



All reciprocating saw blades with common saw blade mount. Universal use for steel, V2A and hard metals, 1.15 mm and more, bi-metal.

Teeth per inch:	Length in mm:	QTY/PKG:	Order no.
18	150	5	200.735



All reciprocating saw blades with common saw blade mount. Hard metals, 1.15 mm and thinner, bi-metal.

Teeth per inch:	Length in mm:	QTY/PKG:	Order no.
24	150	5	200.743



All reciprocating saw blades with common saw blade mount. Long metal blade 3 - 10 mm, bi-metal. For steel hollow section pipes, V2A, plastics pipes (also for pallet repair).

FLEX-Elektrowerkzeuge GmbH

Bahnhofstrasse 15
71711 Steinheim
Phone +49 7144 828-0
Fax +49 7144 25899
info@flex-tools.com
www.flex-tools.com

FLEX

Saws

Teeth per inch:	Length in mm:	QTY/PKG:	Order no.
10	280	5	201.928



All reciprocating saw blades with common saw blade mount. Hard metals, 3.0 mm and thicker (also for palette repair), bi-metal.

Teeth per inch:	Length in mm:	QTY/PKG:	Order no.
14	200	5	217.190



All reciprocating saw blades with common saw blade mount. Steel, V2A and hard metals, 1.50 mm and more, bi-metal.

Teeth per inch:	Length in mm:	QTY/PKG:	Order no.
18	200	5	217.751



All reciprocating saw blades with common saw blade mount. Trapezoidal sheet, thickness 1.25 mm and less.

Teeth per inch:	Length in mm:	QTY/PKG:	Order no.
32	200	5	222.291

FLEX-Elektrowerkzeuge GmbH

Bahnhofstrasse 15
71711 Steinheim
Phone +49 7144 828-0
Fax +49 7144 25899
info@flex-tools.com
www.flex-tools.com

FLEX

Saws

Sabre saw blade for wood, plaster, porous concrete and other applications



All wood types.

Teeth per inch:	Length in mm:	QTY/PKG:	Order no.
4	150	5	200.751



Wood with nails, bi-metal.

Teeth per inch:	Length in mm:	QTY/PKG:	Order no.
10	150	5	200.778



Wooden board (coarse/standard cuts).

Teeth per inch:	Length in mm:	QTY/PKG:	Order no.
6	300	5	201.936



Wooden board (coarse/standard cuts).

Teeth per inch:	Length in mm:	QTY/PKG:	Order no.
6	150	5	200.786



Coarse rapid cuts in wood.

Teeth per inch:	Length in mm:	QTY/PKG:	Order no.
3	225	5	250.054

FLEX-Elektrowerkzeuge GmbH

Bahnhofstrasse 15
71711 Steinheim
Phone +49 7144 828-0
Fax +49 7144 25899
info@flex-tools.com
www.flex-tools.com

FLEX

Saws



Coarse rapid cuts in wood.

Teeth per inch:	Length in mm:	QTY/PKG:	Order no.
3	300	5	250.055



Coarse rapid cuts in green-wood.

Teeth per inch:	Length in mm:	QTY/PKG:	Order no.
3	220	5	250.056



Plaster, porous concrete, eternit, non-ferrous metal, glass-fiber reinforced plastic, carbide tipped.

Teeth per inch:	Length in mm:	QTY/PKG:	Order no.
6	150	1	202.061



Plaster, porous concrete, eternit, non-ferrous metal, glass-fiber reinforced plastic, carbide tipped.

Teeth per inch:	Length in mm:	QTY/PKG:	Order no.
3	300	1	206.210

Plastic multi-carrying case



Perfect fitting, impact resistant carrying case for LD 3206 C, BH 612 VR, BHI 822 VR, BHW 812 VV, BH 812 VV, SR 602 VV, SK 602 VV.

QTY/PKG:	Order no.
1	329.908

FLEX-Elektrowerkzeuge GmbH

Bahnhofstrasse 15
71711 Steinheim
Phone +49 7144 828-0
Fax +49 7144 25899
info@flex-tools.com
www.flex-tools.com

FLEX

Saws

Sabre blade assortment for plastic/wood/metal



Consisting of: 1 Plastic saw blade, 150 mm: 200.735; 1 Wood saw blade, 150 mm: 200.786; 1 Metal saw blade, 150 mm: 200.778, all bi-metal.

Length in mm:	QTY/PKG:	Order no.
150	3	198.757