

## Cordless random orbital polisher with positive-action drive 18.0 V

**XCE 8 125 18.0-EC C**

Order number 493.872



### Technical attributes

|                             |               |
|-----------------------------|---------------|
| Max. polishing pad diameter | 160 mm        |
| Max. back-up pad diameter   | 150 mm        |
| Orbit                       | 8 mm          |
| No load speed               | 280-430 rpm   |
| Orbit rate, no load         | 5600-8600 opm |
| Battery voltage             | 18 V          |
| Battery capacity            | 2,5 / 5,0 Ah  |
| Weight without battery      | 2,1 kg        |

### Standard equipment

|                                     |         |
|-------------------------------------|---------|
| 1 special velcro backing pad, 125 Ø | 487.953 |
|-------------------------------------|---------|

### Cordless random orbital polisher with positive-action drive 18.0 V

- + 8 mm polishing stroke, positive-action drive provides high abrasive power without creating any holograms
- + Ideal for tackling the most common surface problems through to finishing without creating any holograms
- + Counterweight for smoother operation
- + Low heat generation on the surface makes it ideal for temperature-sensitive paints
- + Brushless motor with greater efficiency and a longer service life
- + Grip hood: ergonomically shaped with SoftGrip. The machine can be controlled with precision and is always comfortable yet secure to hold.
- + Flat gear head reduces distance to the surface. The machine can therefore be operated safely in any position.
- + Optimised air flow for optimum cooling of motor and gear. No annoying exhaust air for the user
- + Cushioned special hook and loop pad for polishing.
- + LED battery capacity display
- + Electronic management system (EMS) protects the machine, extends the service life, and increases efficiency
- + FLEX battery system: suitable for all 18,0 V battery packs. Delivery does not include battery and charger